

F. No.M3/K.C.-2./05/2017-18 - 4748
Government of India
Office of the Superintending Archaeologist
Archaeological Survey of India
Kolkata circle, C.G.O. complex (4th floor)
Block-DF, Sector-I, Salt Lake City, Kolkata – 700 064.
Web Site : www.asi.nic.in / www.asikolkata.in

Dated: 18 DEC 2017

LIMITED TENDER NOTICE

Name of the Work: O.W.(P) to Palpara Temple, Palpara, Nadia, West Bengal for 2017-18.

The Superintending Archaeologist, Archaeological Survey of India, Kolkata Circle, Kolkata, on behalf of the President of India invites item rate tender in sealed cover from reputed, experienced and financially sound Govt. contractors/suppliers/Firms/Agencies who have past experience in conservation works of Ancient Archaeological Monuments as well as ancient sites and specific to the items entered above within **last 3 (Three) years** for the work of "O.W. (P) to Palpara Temple, Palpara, Nadia, West Bengal for 2017-18" as per detailed below up-to **14.00 hours on 26.12.2017** which will be opened on **27.12.2017 at 14.30 hours** in the Office of the Superintending Archaeologist, Archaeological Survey of India, Kolkata Circle, C.G.O. Complex (4th floor), Block-DF, Sector-I, Salt Lake City, Kolkata-700064. **The Contractor/Firm/Agency should have credentials and eligibility of financial/technical criteria as per CVC Guideline attached in Annexure-(A).**

Sl. No	Details of item/work	Quantity/ Specification	Rate per Unit	Place of work
1.	Earth work in excavation of foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75m.	7.70	cum	Time period:- 60 days.
2.	Single Brick Flat Soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with local sand.	27.15	sqm	
3.	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement, if any, in ground floor.	2.05	cum	
4.	Brick work with 1st class bricks in cement mortar (1:4) in foundation & plinth.	3.60	cum	
5.	Brick work with 1st class bricks in cement mortar (1:4) in superstructure.	5.40	cum	
6.	Filling in foundation or plinth by fine sand in layers not exceeding 150 mm as directed and consolidating the same by thorough saturation with water, ramming complete including the cost of supply of sand.	0.90	cum	
7.	35mm thick artificial stone in floor, dado, staircase etc with cement concrete (1:2:4) with stone chips, laid in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (1:2) including smooth finishing and rounding off corners including raking out joints or roughening of concrete surface and application of cement slurry before flooring works using cement @ 1.75 kg/sq.m all complete including all materials and labour.	9.00	sqm	
8.	Wood work in posts, post plates, rafters, battens, truss members, purlins etc. fitted and fixed complete.	0.10	cum	
9.	Asbestos corrugated (Trafford or similar approved quality) sheet (6 mm thick) work (excluding the supporting framework) fitted and fixed with 9.5mm. dia. J or L hook bolt and nuts, limpet and bitumen washers and putty with 150 mm end lap & one corrugation minimum side lap complete.	12.83	sqm	
10.	Wood work in door and window frame fitted and fixed in position complete. (Sal wood local).	0.05	cum	
11.	25mm thick shutters with 12mm thick panel of size 30 to 45 cm. of door and window, as per design (each panel consisting of single plank without joint), including fitting and fixing the same in position but excluding the cost of hinge and other fittings.	2.70	sqm	
12.	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed.	21.60	sqm	
13.	Flush pointing to brick work in cement mortar (1:4) including raking out joints.	21.60	Sqm	

14	Painting (2 coats) with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc.	5.15	sqm
15	White washing (2 coats) including cleaning and smoothening surface thoroughly.	21.60	sqm
16	Applying decorative cement based paint of approved quality after preparing the surface including scraping the same thoroughly (2 coats).	43.68	sqm
17	250mm long iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16mm dia rod with centre bolt and round fitting.	1.00	no.
18	250mm X 16mm dia bolt anodised aluminium Aldrop / Sliding bolts of approved quality.	4.00	no.
19	175mm plate X 12mm dia rod X 60mm hexagonal/fluted anodised aluminum decorative handle (hexagonal / fluted) of approved quality fitted and fixed complete.	4.00	no.
20	Repairing of damaged grill of boundary wall after removing from its position including welding, fixing, painting etc. as per existing original position complete with all materials and labour.	4.05	Sqm
(Rupees One lakh twenty three thousand three hundred & twenty seven only.)		Rs. 1,23,327/-	

Tender papers should be accompanied with the following documents positively failing which the same shall be summarily rejected. The EMD of unsuccessful bidders will be returned in due course.

1. **Earnest money Rs. 3,100/- (Rupees Three thousand & one hundred Only)** vide Demand Draft from any Nationalized Bank in favour of the “**Superintending Archaeologist, Archaeological Survey of India, Kolkata Circle, Kolkata.**”
2. Copies of the valid Registration Certificate
3. Copy of PAN/GIR/TIN card No.
4. Copy of IT return filed for the last three financial years along with Proof of annual turnover of the firm for the last 3 years ending on 31/03/2017.
5. Copies of the Service Tax/Sales Tax/GST registration certificate along with latest Service tax/Sales Tax clearance certificate.
6. Declaration regarding black listing as per format attached.
7. Experience certificate of having successfully completed similar works during **last 3 years** ending last days of the month previous to the one in ancient site/monuments.
8. Receipt towards purchase of tender paper.

Tender papers and all other documents can be purchased from the office of the Superintending Archaeologist, Archaeological Survey of India, Kolkata Circle, Kolkata between 10.00 to 16.00 hours on all working days on payment of **Rs.500/-** (non-refundable) **up to 22.12.2017.** **This notice along with tender documents are also available in the Website** www.asikolkata.in/www.asi.nic.in/www.eprocure.gov.in. **Prospective bidders may download the tender document from the website accompanying the Demand draft of Rs. 500/- as cost of tender paper failing which such tender papers will be rejected. The Competent authority reserves the right to accept or reject any or all tenders without assigning any reason thereof.**

In case of public holiday declared on the opening date Tender the same would be opened on the next working day.


 Superintending Archaeologist
 Dated : 18/12

F. No.M3/K.C.-2/05/2017-18

To

1. OFFICE NOTICE BOARD, A.S.I., Kolkata Circle, Kolkata.
2. Office Notice Board, A.S.I . Kolkata Sub Circle (2).
3. The Web Manager, A.S.I., New Delhi.
4. Office copy.

Reference:- Clause 2 of Notice Inviting Tender

Essential Technical & Financial Qualifying Criteria:-

FOR WORKS CONTRACTS

1. The Agency / Firms/ Contractor must have earlier experience in execution of similar nature of conservation works attended at ancient temples, heritage sites etc. Tender invited should be as per Central Vigilance Commission's guidelines as detailed below.
 - i) Average annual financial turn over during the last three years, ending 31st March of previous financial year should be at least 30% of the estimated cost.
 - ii) Experience of having successfully completed similar works during last 3 years ending last days of month previous to the one in which the applications are invited should be either of the following:
 - a) Three similar completed works costing not less than the amount equal to 40% of the estimated amount.

Or
 - b) Two similar completed work costing not less than the amount equal to 50% of the estimated cost.

Or
 - c) One similar completed work costing not less than the amount equal to 80% of the estimated cost.

FOR STORE/PURCHASE CONTRACTS

Prequalification / Post Qualification shall be based entirely upon the capability and resources of prospective bidders to perform the particular contract satisfactorily, taking into account their (i) experience and post performance on similar contracts for last two years (ii) financial standing through latest I.T.CC, Annual report (balance sheet and profit & loss account) of last three years. The quantity, delivery and value requirement shall be kept in view, while fixing the prequalification criteria.


Superintending Archaeologist
18/12

TENDER FOR EXECUTION OF WORKS/ SUPPLY OF MATERIALS

Price of Tender Paper: **Rs.500/- (Rupees Five hundred only)**

I/We hereby tender item-wise rate for execution of works/ supply of materials as described specified subject to the conditions of the contract.

Memorandum: (a) **EMD: – Rs. 5,000/- (Rupees Five thousand only.)**

(b) Security Deposit- 10% upto 1st 1 lakh
7.5% upto next Rs 1 lakh
5% on the rest, above Rs. 2 lakh

Note: (a) Payable along with tender.

(b) Percentage to be deducted from the bill/ deposited after finalization of Tender.

Name of the work: “O.W. (P) to Palpara Temple, Palpara, Nadia, West Bengal for 2017-18”

Place of Deliver/ Execution: Execution of work at : **Temple of Palpara, Palpara, Nadia, West Bengal**

Period of execution/ supply: **60 days** from the date of issue of work/ supply order.

Estimated value: **Rs. 1,23,327/- (Rupees One lakh twenty three thousand three hundred & twenty three only.)**
(including all taxes)

SCHEDULE OF QUANTITIES

Sl.No.	Details of item/work	Quantity	Unit	Rate	Total Cost
1.	Earth work in excavation of foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75m.	7.70	cum		
2.	Single Brick Flat Soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with local sand.	27.15	sqm		
3.	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement, if any, in ground floor.	2.05	cum		
4.	Brick work with 1st class bricks in cement mortar (1:4) in foundation & plinth.	3.60	cum		
5.	Brick work with 1st class bricks in cement mortar (1:4) in superstructure.	5.40	cum		
6.	Filling in foundation or plinth by fine sand in layers not exceeding 150 mm as directed and consolidating the same by thorough saturation with water, ramming complete including the cost of supply of sand.	0.90	cum		
7	35mm thick artificial stone in floor, dado, staircase etc with cement concrete (1:2:4) with stone chips, laid in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (1:2) including smooth finishing and rounding off corners including raking out joints or roughening of concrete surface and application of cement slurry before flooring works using cement @ 1.75 kg/sq.m all complete including all materials and labour.	9.00	sqm		
8	Wood work in posts, post plates, rafters, battens, truss members, purlins etc. fitted and fixed complete.	0.10	cum		
9	Asbestos corrugated (Trafford or similar approved quality) sheet (6 mm thick) work (excluding the supporting framework) fitted and fixed with 9.5mm. dia. J or L hook bolt and nuts, limpet and bitumen washers and putty with 150 mm end lap & one corrugation minimum side lap complete.	12.83	sqm		
10	Wood work in door and window frame fitted and fixed in position complete. (Sal wood local).	0.05	cum		

11	25mm thick shutters with 12mm thick panel of size 30 to 45 cm. of door and window, as per design (each panel consisting of single plank without joint), including fitting and fixing the same in position but excluding the cost of hinge and other fittings.	2.70	sqm		
12	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed.	21.60	sqm		
13	Flush pointing to brick work in cement mortar (1:4) including raking out joints.	21.60	Sqm		
14	Painting (2 coats) with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc.	5.15	sqm		
15	White washing (2 coats) including cleaning and smoothening surface thoroughly.	21.60	sqm		
16	Applying decorative cement based paint of approved quality after preparing the surface including scraping the same thoroughly (2 coats).	43.68	sqm		
17	250mm long iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16mm dia rod with centre bolt and round fitting.	1.00	no.		
18	250mm X 16mm dia bolt anodised aluminium Aldrop / Sliding bolts of approved quality.	4.00	no.		
19	175mm plate X 12mm dia rod X 60mm hexagonal/fluted anodised aluminum decorative handle (hexagonal / fluted) of approved quality fitted and fixed complete.	4.00	no.		
20	Repairing of damaged grill of boundary wall after removing from its position including welding, fixing, painting etc. as per existing original position complete with all materials and labour.	4.05	Sqm		
21	GST @12% on Item No. 1 to 20.				
				Total Rs.	

Rupees.....

Signature of Authorized person(s) with seal

Should this tender be accepted, I/We hereby agreed to abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable, and/or in default thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions. A sum of Rs..... is forwarded herewith in Cash/D.D as Earnest Money. If I/We fail to commence the work to specified in the above memorandum or if I/We fail to deposit the amount of security deposit specified against (a) in the above memorandum in accordance with the clause 1 of the said conditions of contract I/We agree that the said President or his successors in office shall, without prejudice to any other right or remedy, shall be retained by him towards such Security Deposit. I/We further agree that the said President or his successors in office shall also be at liberty to cancel the acceptance of the tender if I/We fail to deposit security amount to aforesaid.

.....
Give particulars & number

Signature:

Address:

Signature of witness of Signature of tender:

Address.

Dated:

The above tender is hereby accepted by me on behalf of the President of India.

Dated:

Signature of the officer by whom the tender is accepted.

Para 13.2.4 of A.W. Code

Sl. No.....

- i) Sale Price :
- ii) Name of Contractor :
- iii) Date of application for tender form by contractor :
- iv) Date of receipt of application in Circle/Branch office. :
- v) Date of Issue of Tender Paper :
- vi) Date of receipt of Tender Paper :
- vii) Details of cutting, over-writing and erasing found on the Tender at the time of opening. :
- viii) Name and designation of officers/ Contractors present at the time of Opening the Tender :

(a)

Official side

(b)

Bidder side

1)

1)

2)

2)

3)

3)

4)

4)

5)

5)

6)

6)

DECLARATION

1. I,, Son/Daughter of Shri.....
signatory of the agency/firm mentioned above, is competent to sign this declaration and
execute this tender document.
2. I have carefully read and understood all the terms and conditions of the tender and undertake
to abide by them.
3. My agency/firm has not been blacklisted/debarred from participating in tender of any
Ministry/ Department of Government of India and Government of India undertaking in the
last Three (3) years as on date of opening of this Tender.
4. The information/ documents furnished along with the above application are true and authentic
to the best of my knowledge and belief.
5. I/We am/are well aware of the fact that furnishing of any false information/fabricated
document would lead to rejection of my tender at any stage besides liabilities towards
prosecution under appropriate law.

Signature of Authorized person(s)

Date:

Full Name:

Place:

Seal: